



2025 PRODUCT OVERVIEW

MEDICHEM Diagnostica GmbH
sales@medichem.de

Kringstr. 5
71144 Steinenbronn

+49 7157 5304 - 0
www.medichem.de

Content

3

[About us](#)

4

[Drugs of abuse](#)

5

[Alcohol](#)

6

[Alcohol Consumption Markers](#)

7

[Others](#)

8

[Contact](#)

About us

Company profile

MEDICHEM Diagnostica has more than 30 years experience in development and production of In-vitro-diagnostics.

MEDICHEM Diagnostica has been founded by Atou Khalide Lô in 1986. In 1998 his son Insa Lô joined the company as a partner, he finally became managing director in 2004.



In 1989, MEDICHEM began working closely with forensic institutes and medical laboratories to develop reference materials for quality control of toxicological and forensic analyses.

Soon after, MEDICHEM was commissioned with the manufacture of control samples for proficiency tests. These samples were used both nationally and internationally as external quality controls by reference institutions, beginning with the DGKL (German Society for Clinical Laboratory Medicine, formerly DGKC), the GTFCh (Society of Toxicological and Forensic Chemistry in Germany), the CSCQ (Centre Suisse de Contrôle de Qualité) and the SFTA (Société Française de Toxicologie Analytique), among others.

Drugs of Abuse



Medidrug[®] Reference Materials:

- **Drugs of Abuse**
 - Serum - 34 analytes
 - Whole Blood - 38 analytes
 - Hair spiked - 64 analytes
- **Chemical-toxicological analysis** (*Evaluation for driving fitness*)
 - Urine - 65 analytes
(according to the current guideline by DGVP & DGVM (2022-11))
- **Workplace Drug Testing**
 - Urine - 66 analytes
(according to the current guideline by EWDTS (2022-10))

Alcohol



®

Medidrug Reference Materials:

- **Alcohol Congener**
 - Serum - 11 analytes
- **Alcohol Congener**
 - Water - 11 analytes
- **Alcohol - Ethanol**
 - Serum - 1 analyte
- **Alcohol - Ethanol + Alcohols**
 - Whole Blood - 4 analytes
- **Alcohol - Ethanol**
 - Water - 1 analyte

Alcohol Consumption Markers



Medidrug[®] Reference Materials:

- **Alcohol Consumption Markers**

- Hair spiked - 1 analyte
 - Ethyl glucuronide
- Hair authentic - 2 analytes
 - Ethyl glucuronide
 - Ethyl palmitate
- Serum - 2 analytes
 - Ethyl glucuronide
 - Ethyl sulfate
- Urine - 2 analytes
 - Ethyl glucuronide
 - Ethyl sulfate
- Pure substance:
 - Ethylglucuronid
 - Ethylglucuronid-D5

Others



Medidrug® Reference Materials:

- Barbiturates - **Thiopental:**
 - Serum - 1 analyte
- **Toxicological Analysis for Brain Death Diagnostics (TABD)**
 - Serum - 11 analytes
- **Benzodiazepine:**
 - Serum - 27 analytes
- **Opioid Substitution Drugs:**
 - Serum - 8 analytes
 - Whole Blood - 8 analytes
 - Urine - 8 analytes
- **Blank Matrices: Basis-line:**
 - Serum - 91 analytes
 - Whole Blood - 76 analytes
 - Urine - 79 analytes
 - Hair - 62 analytes

Contact



All products conform to: IVD Directive 98/79/EC
(Transition period until 26.02.2027
acc. to Regulation (EU) 2022/112)



Certified quality management according to: DIN EN ISO 9001:2015
DIN EN ISO 13485:2016

We will to send you the certificates on request.

MEDICHEM Diagnostica GmbH

Kringstr. 5
DE - 71144 Steinenbronn

Fon: +49 7157 5304 - 0

info@medichem.de
www.medichem.de